In the Claims:

1. (currently amended) <u>A fragrancing material comprising The use of a compound</u> of the <u>following</u> formula I as fragrance,

$$\mathbb{R}^3$$
 \mathbb{R}^1

wherein

R¹ is hydrogen; or

 R^1 and R^2 are independently C_{2-8} alkyl, C_{2-8} alkenyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkyl substituted with at least one C_{1-3} alkyl, aryl, or aryl group substituted with at least one C_{1-3} alkyl group;

 R^3 is hydroxy, C_{1-8} alkoxy, C_{3-8} cycloalkoxy, C_{2-5} alkoxymethyloxy, aryloxy, or aryloxy wherein the aromatic ring is subsituted with C_{1-3} alkyl; or R^2 and R^3 form together with the carbon atom to which they are attached a carbonyl group.

2. (currently amended) A fragrancing material The use of a compound according to claim 1 wherein the compound of formula I is enriched in one of its enantiomers of formula Ia or formula Ib

wherein R¹, R² and R³ have the same meaning as given in claim 1.

3. (currently amended) <u>A fragrancing material</u> The use of a compound according to claim 1 selected from (1*R*, *cis*)-1-ethoxymethoxymethyl-3-isopropyl-1-

methylcyclopentane, 1-[(1R, cis)-3-isopropyl-1-methylcyclopentyl]propan-1-one, 1-[(1S, cis)-3-isopropyl-1-methylcyclopentyl]propan-1-one, 1-[(1R, cis)-3-isopropyl-1-methylcyclopentyl]propan-1-ol, 1-[(1S, cis)-3-isopropyl-1-methylcyclopentyl]propan-1-ol, 1-[(1S, cis)-3-isopropyl-1-methylcyclopentyl]propan-2-ol, 2-[(1S, cis)-3-isopropyl-1-methylcyclopentyl]propan-2-ol, 2-[(1S, cis)-3-isopropyl-1-methylcyclopentyl]propan-2-ol, 2-[(1S, cis)-3-isopropyl-1-methylcyclopentyl]butan-2-ol, 2-[(1S, cis)-3-isopropyl-1-methylcyclopentyl]butan-2-ol, 2-[(1S, cis)-3-isopropyl-1-methylcyclopentyl]pent-3-en-2-ol, 3-[(1S, cis)-3-isopropyl-1-methylcyclopentyl]pentan-3-ol, and 1-[(1S, S)-3-isopropyl-1-methylcyclopentyl]butan-1-ol.

4. (cancelled)

5. (currently amended) A fragrance application comprising a compound <u>according</u> to claim 1 as defined in any of the preceding claims 1 - 3, or a mixture thereof.

6. (currently amended) A fragrance application according to claim 5 wherein the fragrance application is <u>selected from</u>: a perfume, household product, laundry product, body care product or cosmetic product.

7. (currently amended) A method of manufacturing a fragrance application, comprising the step of incorporating a compound of formula I as defined in claim 1, 2 and 3.

8. A' compound of formula I

$$\mathbb{R}^3$$
 \mathbb{R}^2

wherein

R¹ is hydrogen; or

 R^1 and R^2 are independently C_{2-8} alkyl, C_{2-8} alkenyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkyl substituted with at least one C_{1-3} alkyl, aryl, or aryl group substituted with at least one C_{1-3} alkyl group;

 R^3 is hydroxy, C_{1-8} alkoxy, C_{3-8} cycloalkoxy, C_{2-5} alkoxymethyloxy, aryloxy, or aryloxy wherein the aromatic ring is subsituted with C_{1-3} alkyl; or R^2 and R^3 form together with the carbon atom to which they are attached a carbonyl group;

with the proviso that if R^2 and R^3 form together with the carbon atom to which they are attached a carbonyl group, then R^1 is not hydrogen or phenyl.